

UX Style guide

User Experience Team (Infosys)

Hari Krishnanath, Asutosh Kar, Kirubha Kittusamy,
Eswar Rao Reddy

Work in Progress

Version

V 1.0	04 Apr 16	Final Version for FDP blue design , till April 2016 Sprint demo	Asutosh, Kirubha, Hari (Infosys)
V 2.0	19 Jul 16	Final Version 2.0 for FNew FDP design	Asutosh, Kirubha, Hari (Infosys)

About This Style Guide

This style guide is a document collating all visual design specifications and patterns for easy reference. This document has to be refer along with the visual design mocks & specification sheets provided by the designer of the project. This document has been exclusively prepared for FDP - Execute platform, under ITT programme.

This Document is a evolving one and will keep on enriching over the time as we have more design patterns emerge.

The Target Screens | Resolutions

Target devices

The primary device for this web based application to be used is a wide screen laptop.

The next best target device will be the 24" desktop monitors.

Screen Resolutions

The typical screen resolutions and the interface sizes planned are as follows

Laptop



Resolutions 1366 X 768 px

Page usable size (Max.) 1232 px

Desktop

Resolutions 1920 X 1080 px

Page usable size (Max.) 1856 px



The Basic Grid

Grids

Grids are the basic skeletal structure of the page content groups which collectively form the page layout.

The elements of a grid system are

- Columns
- Rows
- Modules
- Regions
- Gutters
- Margins
- Markings
- Flow lines

Our Grid System

All page layouts of our application is designed based on a flexible grid layout of 1, 2, 3 ,4 ,6 columns. There are also hybrid layouts which use a combination of basic columns in combinations like a 1-2, 1-3, 1-2-1 , 2-3 etc.

Standard Grid elements

Browser bezel left : 5 px

Menu Bar : 56 px

Left Margin: 32px

Active Area: 1232 px (different grid dimensions see below)

Right Margin : 19 px


Scroll bar : 17 px

Browser bezel right : 5 px

Column dimensions

As per the page requirement the layout can be any of the above column combinations. The detail Pixel dimensions of the different layouts are as follows

- 1 Column - 1232 px
- 2 Columns - 608 px/each
- 3 Columns- 400 px/each
- 4 Columns- 296 px/each
- 6 Columns- 192 px/each
- 12 Column - 88 px/each
- Standard gutter 16 px or Multiple



The Page types | Form Page

Typical Pages

- Job create Page
- Job Detail page

Screen Layout

This is a typical form page with data-heavy form fields arranged in 3 columns plus a hybrid table layout at the bottom.

The typical screen layout is

Laptop

- 3 Column (400 px) with 16 px gutter

The screenshot shows the 'Field Delivery Platform' interface for creating a new job. The page is divided into several sections:

- Header:** 'Field Delivery Platform' with a search bar and user profile 'Sadanandam Odnala, COCA ECUADOR, WS, FSMR'.
- Job Info:** 'New Job' with job numbers 'Job 1234345' and 'Job 23434545'.
- General Info:** Fields for 'Type District' (COCA), 'Segment' (M-I SWACO), and 'Sub Segment' (DS).
- Customer:** Fields for 'Customer name', 'SPUD Date' (12-May-16), and 'Well' (16-Jul-16). A warning message states 'This information is required.' and 'Service End Date' is also present.
- Rig:** Fields for 'Rig name', 'Booking' (Unconfirmed), and 'Probability' (50%).
- Contacts:** A table listing contacts for Schlumberger, including a Project Engineer and a Project Manager 1.
- Hole Section Info:** A table with columns: HS #, BIT Size (In.), Reamer Size, Service Type, Top Depth (Ft), Bottom Depth (Ft), Length (Ft), Duration (Days), and Actions.

HS #	BIT Size (In.)	Reamer Size	Service Type	Top Depth (Ft)	Bottom Depth (Ft)	Length (Ft)	Duration (Days)	Actions
1	8.25	7.75	ABC	0	10000	10000	2	[Edit]
2	7.25	6.75	ABC	10000	18000	8000	2	[Edit]
3	Type	Type	Select	18000	Type	--	Type	

Buttons: Create, Cancel

The Page types | P & M Pages

Typical Pages

- Add & Edit Product & material and its various stages

Screen Layout

This a typical form page with data heavy form fields arranged in dockable side panel & main material table.

The typical screen layout is

Laptop

- side panel (open) 400 px
- main panel (open) 816 px
- Side panel (Collapsed)
- Main panel (Full screen) 1232 px

Field Delivery Platform

Job 123455-2

70% Order / Plan

PLAN & ORDER

Selected Materials

Material ID	Material Name	Total Plan Ship Quantity	UOM	Availability	28" x 27" WBM	16" x 5" WBM	12.25" x 16.5" WBM	8.5" x 5.5" WBM	Well Contingency
Material ID 120-0024	Barite - Plain Bags - 100 lb	4784	GL	✓	162	729	2693	1200	
Material ID 120-0024	Gelex Bent Extender - 2lb	24	EA	✓	10	14			
Material ID 120-0024	MI Gel Export - 100 lb	102	GL	✓	65	37			
Material ID 120-0024	Defoam X - 40 lb	9	EA	✓		2	7		
Material ID 120-0024	DUO-VIS - 55 lb	122	EA	✓		15	64	43	
Material ID 120-0024	PA-10 440 lb	13	EA	✗		5	8		
Material ID 120-0024	SAPP (LB) - 50 lb	37	EA	✓		37			
Material ID 120-0024	Tackle (50lb) - 50 lb	10	EA	✓		10			
Material ID 120-0024	Tinamart - 25 lb	64	EA	✓		44	20		
Material ID 120-0024	Black Fury - 440 lb	10	EA	✓			10		
Material ID 120-0024	Calcium Carbonate b-100 - 1...	147	EA	✓			147		
Material ID 120-0024	Calcium Carbonate b-90 - 110 lb								
Material ID 120-0024	Calcium Carbonate b-325 - 1...								
Material ID 120-0024	Caustic Soda - 55 lb								
Material ID 120-0024	IDCAP D - 55 lb								
Material ID 120-0024	KLA-STOP - 440 lb								
Material ID 120-0024	LUBE 167 - 440 lb								
Material ID 120-0024	MYACIDE GA25 - 40 lb								

Legend: ✓ Available ✗ Not Available ■ Ordered

Save Order Reset Delete

The Page types | List & Detail page

Typical Pages

- Activities


Screen Layout

This is a hybrid 3-5-4 column layout made from a 12 column grid layout. The left column content acts as menu and the rest 3 columns at the right represent the details of the selected line item of the left menu.

The typical screen layout is

Laptop

- 3-5-4 Column (296-504-400 px)



Basic Elements | Typography

Fonts of the application

The FDP app use two family of fonts. The Univers LT Std Condensed & Roboto in various Weights.

As a general thumb rule Univers is mostly used in header text and Roboto is used as main base font.

Univers LT Std

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
47 Light Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
57 Condensed

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
67 Bold Condensed

Roboto

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
Light

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890!@£\$%^&*()_+
Bold

Basic Elements | Iconography

Icon style

The icons used in the application follow the basic style of line drawing.

There are different sizes of icons used across the application.

Icon Types

Left navigation icons



Band color normal #384152
Selected #f38844

Icon 24px x 24px
icon color #ffffff

Global Action icons (32 px X 32px)



General navigation & action icons (24px X 24px)



Form & table action icons 1 (16 px X 16 px)



Form & table action icons 2 (24px X 24px)



P& M Tab icon (32px X 32px)



Basic Elements | Color Palette

Color Palette

The basic color palette of warm Grey with accent color of orange.

Main Colors

The two main color schemes are Schlumberger Orange & Grey.

Orange 1	#f38844
Orange 2	#fe6b0e
Orange 3	#ff6600
Grey 1 # f5f5f5	Grey 2 # efefef
Grey 3	# e4e5e7
Grey 4 # 6e6d6d	Grey 5 # 545454
Nav 1	# 384152
Selection Blue	# 588dbf
Base Green	# 99cc33
Base Red	# cc3300

Tab Color Palette 1

In resource pages there will be different color pallets based on the different processes.

Blue 1 #588dbf	Blue 2 #32516e
Plan & Order	
Red 1 #e35b5b	Red 2 #7c2325
Mobilization	
Coral green #44b6ae	CG1 #00736c
Goods Received	
Purple #8775a7	Purple 1 #4f347f
Demobilization	
Amber #8775a7	Amber 11 #ab6521
Reconciliation (Future Design)	

Tab Color Palette 2

Red 2 #7c2325	Blue 2 #0088b8
Red 3 #fbefef	Blue 3 #d6effc
Orange 2 #feaa0c	Green2 #66af7a
Orange 3 #fff3dd	Green 3 #ecflea

Page Elements | Global Elements


Navigation

These are the basic elements which ties all pages types of the application.

These are global elements which appear across all pages of the application.

Global Menu

- This is the top most bar in the application, contains the application name, user log in information & other global actions.



Page Elements | Job Cards

Job Cards



These are Job details that user see to identify & actionize jobs based on task priority indicators.

Job card contains

- Job header details & icons
- Current job process
- Task (if any) and if task date due
- Risk indicators
- Canceled job indicators

Detail Job card

- A typical job card is as shown below



Page Elements | Action Layer

Action layer 1

This layer presents additional actions in a context for the user to proceed further.

This layer is normally initiated by the previous main page action & it interrupts the user to take action before proceed further.

A1 Full page slide down action layer

Full page panel slides from top. User needs to take action to proceed further. Actions can be either form of a page level button, an action icon or both.

fdp Field Delivery Platform

Search...

Sadanandam Odnala
COCA ECUADOR, WS

FSMR

Potential Duplicate Jobs

Based on the following parameters we have found 2 Matching Jobs As follows.

Ops District	Segment	Sub Segment	Customer	Well
COCA	MI-SWACO	DS	Customer Name	Well Name

Review & select the existing jobs (if applicable) to avoid creating duplicate jobs.

Job #	SPUD Date	Service End Date	Rig Name	Project Engineer	Customer Contact	Actions
∨ New Job	12-May-16	12-Jun-16	Rig Name	John Doe 1	John Doe2	🔗
∨ 131234	12-May-16	12-Jun-16	Rig Name	John Doe 1	John Doe2	📧
∨ 231234	12-May-16	12-Jun-16	Rig Name	John Doe 1	John Doe2	📧

Cancel

Customer

Project Manager	Name	Email	Phone	Actions
Project Manager 1	John Doe longname	johndowlongname@.....	+593 22 767 3656	✎ 🗑
Project Manager 2	John Doe longname	johndowlongname@.....	+593 22 767 3656	✎ 🗑

Add Customer

Band color Solid # 588dbf
Band height: 40px
Text : Roboto Med 14px
Text color #ffffff
Icon 24pxx24px
Icon-Text padding 16 px

Eg. Job: Duplicate Job suggestion

fdp Field Delivery Platform

Search...

Sadanandam Odnala
COCA ECUADOR, WS

FSMR

Destination to Demobilize

Select a Destination to Demobilize: Ops District (Quito) Other Job

Logistics Required for:

Estimated Pickup Date: 20-Jul-16 08:00 PM

Destination Requirement Date: 02-Aug-16 08:00 PM

OK Cancel

Eg. P&M: Demobilize Destination


Page Elements | Action Layer

Action layer 2

This layer is normally initiated by clicking specific action icon in the previous main page.


A2 Modal action layer

Modal layer appears on centre of the page. Usually follow a 3-6-3 or 2-8-2 column grid (based on 12 column layout).



Modal Layer grid : 3-6-3 column grid
12 col grid of 88 px+16 px gutter
Modal placement : centre of the page

Eg. P&M : Create Favourite



Modal Layer grid : 2-8-2 column grid
12 col grid of 88 px+16 px gutter
Modal placement : centre of the page

Eg.Job : Create new activity


Page Elements | Application Messaging

Application messages

The application responds with various kinds of messages to the user throughout. The messages can be on both success as well as error conditions.


Actionable messages

M1. Action/Task message - Page level Modal , User have to take action to access the background page



Band color Solid #588dbf
Band height : 40px
Text : Roboto Med 14px
Text color #ffffff
Icon 24pxx24px
Icon-Text padding 16 px

M2. Warning with task message - Page level Modal , User have to take action to access the background page



Band color Solid # e35b5a
Band height : 40px
Text : Roboto Med 14px
Text color #ffffff
Icon 24pxx24px
Icon-Text padding 16 px

Page Elements | Application Messaging

Temporal messages





These are messaging systems that updates the user about the actions they have just committed in the system. The color of the messaging box as well as the icon plays good indicator of the nature of the message.

Description	Details	Specs
<p>System busy / Committing Action <i>(Shown full duration of system busy)</i></p>		<p>Text Roboto Regular, 12 px, #ffffff GIF icon : 24px X 24px, #ffffff Mssg BoxFill : solid fill :#f38944</p> <p>Box Height : 80px, length as per text content left icon padding :32 px right text padding : 32 px padding between text & icon : 16 px</p>
<p>Action success <i>(Shows for 1s and goes away)</i></p>		<p>Text Roboto Regular, 12 px, #ffffff Icon : 24px X 24px, #ffffff Mssg BoxFill : solid fill :#77aa22</p> <p>Box Height : 80px, length as per text content left icon padding :32 px right text padding : 32 px padding between text & icon : 16 px</p>
<p>Action unsuccessful <i>(Shows for 2s and goes away)</i></p>		<p>Text Roboto Regular, 12 px, #ffffff Icon : 24px X 24px, #ffffff Mssg BoxFill : solid fill :#77aa22</p> <p>Box Height : 80px, length as per text content left icon padding :32 px right text padding : 32 px padding between text & icon : 16 px</p>

Page Elements | Buttons

Action buttons







Action buttons appear across the application in either in the main page or on th layers. Their is a visual hierarchy for the primary call to action and secondary call to action buttons.

Description	Details	Specs
Normal button cluster		<p>All Text Roboto Regular, 14 px, #ffffff</p> <p>Primary button (orange): fill# f38844 Secondary button (Grey): fill# 6d6d6d Button Height : 32px, Button length : Text length + 16 px padding both side</p> <p>Primary button placement: Start from left Secondary button : next to primary at right Padding between two buttons: 12 px</p>
Disabled button (s)		<p>Primary button (orange): fill# f8b990 Secondary button (Grey): fill# a8a6a7</p>
Button on hover		<p>Primary button hover (orange): fill# ff6600 Secondary button hover (Grey): fill#404040</p>
Special button (Locked)		<p>All Text Roboto Regular, 14 px, #ffffff</p> <p>Primary button (orange): fill# f38844 16px X 16 px icon and 8 px padding between text & icon</p>

Page Elements | FormText Field

Specific usages

Form pages

Description	Details	Specs
Enabled(Normal)	Field Name  <i>Subscript text</i>	Field name: Roboto Regular, 12 px, #999999 Field Value: Roboto Bold, 14 Px, #666666 Subscript: Roboto Italic, 12 px, #999999 Border: 1px solid color:#e4eac8
Disabled	Field Name 	Field name: Roboto Regular, 12 px, #999999 Field Value: Roboto Bold, 14 Px, #999999 Fill: solid color:#ebebeb
Read only	Field Name Field Value	Field name: Roboto Regular, 12 px, #999999 Field Value: Roboto Bold, 14 Px, #666666
Selected	Field Name 	Border: 1px solid color:#999999
Hover		
Empty Hint	Field Name 	"Select" : Roboto Bold, 14 Px, #666666
Error	Field Name 	Field name: Roboto Regular, 12 px, #e35b5b Field Value: Roboto Bold, 14 Px, #666666 Subscript: Roboto Italic, 12 px, #e35b5b Border: 1px solid color:#e35b5b Fill: solid color #fbfef

Page Elements | Page Tabs

Tabs :

A content rich tab acting as both navigation as well as rich information container

Types of tabs:

Page Level

Specific usages


Resource pages (Eg. P&M)

Activities


Tabs may include :

- Scroll (left & right arrow)
- Add new icon
- Dynamic Quantitative indicator (number or %)
- Can have section icon

Resource Page (P&M)



Activity Page



Data Table

Table :

A data table contains a header row at the top that lists column names, followed by rows for data.

Data tables may include:

- Table title
- Sort
- Scroll - Vertical (Horizontal in some cases)
- Legend
- Buttons

Supported Interaction :

- Row hover
- Row selection
- Column Selection
- Column sorting
- Text editing
- Error

Example :

Selected Materials

Material ID	Material Name	Total Plan Ship Quantity	UOM	Availability	Plan Ship Quantity				Well Contingency
					26" x 27" WBM	16" x 5" WBM	12.25" x 16.5" WBM	8.5" x 5.5" WBM	
	Barite - Plain Bags - 100 lb	4784	GL	✓	162	729	2693		1200
	Gelex Bent Extender - 2lb	24	EA	✓	10	14			
	MI Gel Export - 100 lb	102	GL	✓	65	37			
	Defoam X - 40 lb	9	EA	✓		2	7		
	DUO-VIS - 55 lb	122	EA	✓		15	64	43	
	PA-10 440 lb	13	EA	✗		5	8		
	SAPP (LB) - 50 lb	37	EA	✓		37			
	Tackle (50lb) - 50 lb	10	EA			10			
	Calcium Carbonate b-100 - 1...	147	EA				147		
	KLA-STOP - 440 lb								
	LUBE 167 - 440 lb								
	MYACIDE GA25 - 40 lb								

Legend : ✓ Available ✗ Not Available Ordered

Save
Order
Reset
Delete

Data Table | Row

Row Hover

Display a background in a table row if a user hovers over any part of that row. If there are separate hover states on individual table cells, display both the hover state of the cell and row at the same time.

	Barite - Plain Bags - 100 lb	4784	GL	✓	🗨️	162	729	2693		1200
	Gelex Bent Extender - 2lb	24	EA	✓	🗨️	10	14			
	MI Gel Export - 100 lb	102	GL	✓	🗨️	65	37			
	Defoam X - 40 lb	9	EA	✓	🗨️		2	7		
	DUO-VIS - 55 lb	122	EA	✓	🗨️		15	64	43	

Hover Background color : #ecf2fd

Row - New row

When a new material is added a new row is added

	MI Gel Export - 100 lb	102	GL	✓	🗨️	65	37			
	Defoam X - 40 lb	9	EA	✓	🗨️		2	7		
	DUO-VIS - 55 lb	0	EA		🗨️					
	PA-10 440 lb	13	EA	✗	🗨️		5	8		

New Row Background color : #fefdb8

Data Table | Selection


Selecting one entire row:

The first column on a table row is used to select one entire row. (One or multiple selection allowed)

Selecting one entire row:

	Gelex Bent Extender - 2lb	24	EA	✓	🗨	10	14		
	MI Gel Export - 100 lb	102	GL	✓	🗨	65	37		
	Defoam X - 40 lb	9	EA	✓	🗨	2	7		
	DUO-VIS - 55 lb	122	EA	✓	🗨	15	64	43	

Selected Row background color : #76a2cb




Selecting one entire column:

The column header is used to select a column. (One or multiple selection allowed)

Selecting one entire column:

Material ID	Material Name	Total Plan Ship Quantity	UOM	Availability	Plan Ship Quantity				Well Contingency	
					26" x 27" WBM	16" x 5" WBM	12.25" x 16.5" WBM	8.5" x 5.5" WBM		
	Barite - Plain Bags - 100 lb	4784	GL	✓	🗨	162	729	2693		1200
	Gelex Bent Extender - 2lb	24	EA	✓	🗨	10	14			
	MI Gel Export - 100 lb	102	GL	✓	🗨	65	37			
	Defoam X - 40 lb	9	EA	✓	🗨		2	7		

Selected column background color : #76a2cb



Data Table | Selection

Select one cell :

Individual cells can be selected. (One or multiple selection allowed).

Selecting one cell :

65	37		
	2	7	
65	37		
	5	8	

Selecting one cell for editing:

65	37		
	2	7	
	15	64	
	5	8	

Select one cell for editing:

Select a cell and type to edit a cell. or
Double click the cell to edit

Selected cell background color : #76a2cb

Selected cell for editing outline color : #7fc1ff

Select All :

The first cell (first row, first column) is used to select "select all"

Select All :

Data Table | Errors

Showing errors on the cell:

- Indicate invalid entry of quantities entered in an individual cell.
- Can be multiple cells at a time

Suggest a valid entry:

- On click the cell goes to editable mode & the error condition is shown
- Error conditions & highlight goes as soon as the edit meets the condition
- One edit at a time

Indicate Invalid entry (Customer contact)

Hole Section Info

HS#	BIT Size (in)	Reamer Size (in)	Service Type	Top Depth-MD (ft)	Bottom Depth-MD (ft)	Length (ft)	Duration (days)	Actions
1	8	9	Water-Based Mud	0	1000	1000	0	
2	<div style="border: 1px solid red; padding: 2px;"> Only Digits allowed </div>		Water-Based Mud	1000	1500	500	0	
3	<div style="border: 1px solid red; padding: 2px;">e</div>	<div style="border: 1px solid red; padding: 2px;">e</div>	Water-Based Mud	1500		0	<div style="border: 1px solid red; padding: 2px;">e</div>	

+ Add on Click error appears for multiple errors one at a time/per click , error goes away as the condition is met or when user hits [X]

Indicate Invalid entry: (P&M table)

162	729	2693		1200
10	14			
65	37			
	2	7		
65	37			
	5	8		

Suggest a valid entry :

162	729	2693		1200
10	14			
65	37			
	2	7		
	<div style="border: 1px solid red; padding: 5px;"> Max allowed quantity : 1 </div>			
	5	8		

Tabs

Tabs :

A tab

Specific usages

Mobilization
GR
Demobilization
Activities

Hover State:



Types of tabs:

Table title

Tabs may include :

Scroll (left & right arrow)
Expand Collapse
Icons
Links

Tabs

Mobilization:

Selected tab with Links

1	2	Est. Leave Base Date 32 Jun 16 8:00AM	Job Site Req. Date 30 Jul 8:00 AM	STO Number 1234567890	3	4
---	---	--	--------------------------------------	--------------------------	---	---

Selected Tab links- (InProgress /Pending)

Selected tab with links (Hover state)

1	2	Est. Leave Base Date 32 Jun 16 8:00AM	Job Site Req. Date 30 Jul 8:00 AM	STO Number 1234567890	3	4
---	---	--	--------------------------------------	--------------------------	---	---

Hover hover Link - (InProgress /Pending)

Mobilization

Selected tab with Links

1	2	From Job No J16123	Job site Req. Date 02 Jul 8:00 AM	Transfer Posting No 7245782368756	3	4	5	6	7	8
---	---	-----------------------	--------------------------------------	--------------------------------------	---	---	---	---	---	---

Selected Tab links- (Complete)

Selected tab with links (Hover state)

1	2	From Job No J16123	Job site Req. Date 02 Jul 8:00 AM	Transfer Posting No 7245782368756	3	4	5	6	7	8
---	---	-----------------------	--------------------------------------	--------------------------------------	---	---	---	---	---	---

Hover hover Link - (Complete)

Tabs

Demobilization

Demobilization tabs showing different states: Draft, Inprogress / Pending, and Completed.

Draft -tab with links	1	2	3	Destination Rig Name	Est. Pickup 02 Jul 8:00 AM	Destn. Req. 02 Jul 8:00 AM	STO Number 1234567891		
Inprogress / Pending - with links	1	2	3	Destination Rig Name	Est. Pickup 02 Jul 8:00 AM	Destn. Req. 02 Jul 8:00 AM	STO Number 1234567891		
Completed - No links	1	2	3	Destination Rig Name	Est. Pickup 02 Jul 8:00 AM	Destn. Req. 02 Jul 8:00 AM	STO Number 1234567891		

Hover hover for image - (Draft)

Demob - Pack

Demob - Pack tabs showing different packaging types: Wooden Box, Pallet, and Packaging Material.

Package materials - Selected (Pallet)	Items not requiring Packaging	Wooden Box	Size (cm) 10 x 1x 23	Total Wt 23 Kg	Pallet	Size (cm) 10 x 1x 23	Total Wt 23 Kg	Packaging Material	Size (cm) 10 x 1x 23	Total Wt 23 Kg
---------------------------------------	-------------------------------	------------	----------------------	----------------	--------	----------------------	----------------	--------------------	----------------------	----------------

GR

GR tabs showing different states: Selected tab with No Links and Selected tab with No Links & No Hoaver for links.

Selected tab with No Links	2	Customer	STO No 9854236884	3	SLB	Transfer Posting no 8884236456	4	Customer	STO No 9854236885	5	SLB	Transfer Posting no 9854236457	6	Customer	STO No 9854236886
Selected tab with No Links & No Hoaver for links	2	Customer	STO No 9854236884	3	SLB	Transfer Posting no 8884236456	4	Customer	STO No 9854236885	5	SLB	Transfer Posting no 9854236457	6	Customer	STO No 9854236886

Hover hover tab - (Inprogress / pending)



© **Schlumberger** | 2016 , *Schlumberger Product & Service Delivery (P&SD), IT Transformation (ITT)*